

United States Patent and Trademark Office

6

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/723,146	11/25/2003	Hue Scott Snowden	19076A	9253
23556 7590 11/15/2007 KIMBERLY-CLARK WORLDWIDE, INC. Catherine E. Wolf			EXAMINER	
			FLETCHER III, WILLIAM P	
401 NORTH LAKE STREET NEENAH, WI 54956			ART UNIT	PAPER NUMBER
,,,			1792	
		•		
			MAIL DATE	DELIVERY MODE
			11/15/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	·	Application No.	Applicant(s)				
Office Action Summary		10/723,146	SNOWDEN ET AL.				
		Examiner	Art Unit				
		William P. Fletcher III	1792				
Period for F	The MAILING DATE of this communication app Reply	ears on the cover sheet with the c	orrespondence address				
WHICHI - Extensio after SIX - If NO pe - Failure to Any reply	RTENED STATUTORY PERIOD FOR REPLY EVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. From the mailing date of the communication of the c	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	l. lely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status							
1)⊠ R	esponsive to communication(s) filed on 18 Oc	ctober 2007.					
		action is non-final.					
3)□ .Si	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
clo	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition	of Claims						
4)⊠ CI	4)⊠ Claim(s) <u>1-3 and 5-35</u> is/are pending in the application.						
4a	4a) Of the above claim(s) <u>28-32 and 35</u> is/are withdrawn from consideration.						
5) <u></u> CI	5) Claim(s) is/are allowed.						
6)⊠ CI	S)⊠ Claim(s) <u>1-3 and 5-27</u> is/are rejected.						
7)□ CI	aim(s) is/are objected to.						
8) <u></u> CI	8) Claim(s) are subject to restriction and/or election requirement.						
Application	Papers						
9) <u></u> Th	e specification is objected to by the Examiner	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) <u>∐</u> Th	e oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PTO-152.				
Priority und	ler 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s)			·				
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Informat	E) Netter of the formal Polaries A configuration						

Art Unit: 1792

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 18, 2007, has been entered.

Response to Amendment

2. Claims 1-3 and 5-35 remain pending.

Election/Restrictions

3. Claims 28-32 and 35 remain withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on February 27, 2006.

Response to Arguments

4. Applicant's arguments filed October 18, 2007, have been fully considered but they are not persuasive.

Applicant argues that "[n]one of the cited references teach or suggest a process in which an antistatic agent is applied to a substrate following application of a fluoropolymer to the substrate but prior to full curing of the fluoropolymer." The Examiner disagrees. Baldwin teaches a process in which an ionic fluoropolymer and a

10/723,146

Art Unit: 1792

monovalent salt that serves as an antistat on a substrate. It is the Examiner's position that repeated application of a coating composition to build up a coating layer of a desired thickness is well known in the art. In such an obvious arrangement, application of one layer followed by another, followed by curing, reads on the claimed application of fluoropolymer followed by later application of antistat before curing. As such, the references of record continue to render the claimed invention obvious.

Claim Rejections - 35 USC § 103

- 5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 7. Claims 1-4, 6-8, and 11-27, are rejected under 35 U.S.C. 103(a) as being unpatentable over Baldwin (US 4,411,928 A) in view of Coates (US 4,082,887 A).
 - A. Baldwin and Coates are applied herein as in the prior Office action.
 - B. With respect to the claims as amended, Baldwin teaches a process in which an ionic fluoropolymer and a monovalent salt that serves as an antistat on

Application/Control Number:

10/723,146

Art Unit: 1792

Page 4

a substrate. It is the Examiner's position that repeated application of a coating composition to build up a coating layer of a desired thickness is well known in the art. In such an obvious arrangement, application of one layer followed by another, followed by curing, reads on the claimed application of fluoropolymer

8. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Baldwin in view of Coates, as applied to claim1 above, and further in view of Gilbert (US 4,000,233 Å) or Weipert (US 4,169,062 Å).

followed by later application of antistat before curing.

- A. These references are applied herein as in the prior Office action.
- B. These references continue to render the claimed invention obvious as explained above.
- 9. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baldwin in view of Coates, as applied to claim1 above, and further in view of Potts (US 5,145,727 A).
 - A. These references are applied herein as in the prior Office action.
 - B. These references continue to render the claimed invention obvious as explained above.
- 10. Claims 33 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baldwin, Coates, Gilbert or Weipert, and Potts.
 - A. These references are applied herein as in the prior Office action.
 - B. These references continue to render the claimed invention obvious as explained above.

10/723,146

Art Unit: 1792

Conclusion

11. The prompt development of clear issues in the prosecution history requires that applicant's reply to this Office action be fully responsive (MPEP § 714.02). When filing an amendment, applicant should specifically point out the support for any amendment made to the disclosure, including new or amended claims (MPEP §§ 714.02 & 2163). A fully responsive reply to this Office action, if it includes new or amended claims, must therefore include an explicit citation (i.e., page number and line number) of that/those portion(s) of the original disclosure which applicant contends support(s) the new or amended limitation(s).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William P. Fletcher III whose telephone number is (571) 272-1419. The examiner can normally be reached on Monday through Friday, 0900h-1700h.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy H. Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:

10/723,146

Art Unit: 1792

Page 6

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/William Phillip Fletcher III/

Primary Examiner